



**Safety Data Sheet dated 4/7/2019, version 10**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name: MOTORSIL D

Trade code: 0096

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

self-levelling silicone seal

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.

via Antica di Cassano, 23, 20063

Cernusco sul Naviglio (MI), Italy

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)

In South Africa: Poison Information Helpline 0861 555 777

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P264 P264.2

P280 Wear protective gloves/clothing and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

# Safety Data Sheet

## MOTORSIL D



Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

PBT Substances:

>= 0.5% - < 1% Octamethylcyclotetrasiloxane - REACH No.: 01-2119529238-36, CAS: 556-67-2, EC: 209-136-7

>= 0.5% - < 1% Decamethylcyclopentasiloxane - REACH No.: 01-2119511367-43, CAS: 541-02-6, EC: 208-764-9

>= 0.5% - < 1% Dodecamethylcyclohexasiloxane - REACH No.: 01-2119517435-42, CAS: 540-97-6, EC: 208-762-8

vPvB Substances:

>= 0.5% - < 1% Octamethylcyclotetrasiloxane - REACH No.: 01-2119529238-36, CAS: 556-67-2, EC: 209-136-7

>= 0.5% - < 1% Decamethylcyclopentasiloxane - REACH No.: 01-2119511367-43, CAS: 541-02-6, EC: 208-764-9

>= 0.5% - < 1% Dodecamethylcyclohexasiloxane - REACH No.: 01-2119517435-42, CAS: 540-97-6, EC: 208-762-8

Other Hazards:

No other hazards

---

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 2% - < 3% Methylsilanetriyl triacetate

REACH No.: 01-2119987097-22, CAS: 4253-34-3, EC: 224-221-9

⚠ 3.1/4/Oral Acute Tox. 4 H302

⚠ 3.2/1B Skin Corr. 1B H314

>= 2% - < 3% acetic acid...%

REACH No.: 01-2119475328-30, CAS: 64-19-7, EC: 200-580-7

⚠ 2.6/3 Flam. Liq. 3 H226

⚠ 3.2/1A Skin Corr. 1A H314

Specific Concentration Limits:

10% <= C < 25%: Skin Irrit. 2 H315

10% <= C < 25%: Eye Irrit. 2 H319

25% <= C < 90%: Skin Corr. 1B H314

C >= 90%: Skin Corr. 1A H314

>= 0.5% - < 1% Octamethylcyclotetrasiloxane

REACH No.: 01-2119529238-36, CAS: 556-67-2, EC: 209-136-7

⚠ 3.7/2 Repr. 2 H361f

4.1/C4 Aquatic Chronic 4 H413

⚠ 2.6/3 Flam. Liq. 3 H226

>= 0.5% - < 1% Decamethylcyclopentasiloxane

REACH No.: 01-2119511367-43, CAS: 541-02-6, EC: 208-764-9

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

>= 0.5% - < 1% Dodecamethylcyclohexasiloxane

REACH No.: 01-2119517435-42, CAS: 540-97-6, EC: 208-762-8



The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

**SVHC Substances:**

- >= 0.5% - < 1% Octamethylcyclotetrasiloxane  
REACH No.: 01-2119529238-36, CAS: 556-67-2, EC: 209-136-7  
Substance PBT and vPvB and SVHC
- >= 0.5% - < 1% Decamethylcyclopentasiloxane  
REACH No.: 01-2119511367-43, CAS: 541-02-6, EC: 208-764-9  
Substance PBT and vPvB and SVHC
- >= 0.5% - < 1% Dodecamethylcyclohexasiloxane  
REACH No.: 01-2119517435-42, CAS: 540-97-6, EC: 208-762-8  
Substance PBT and vPvB and SVHC

---

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**In case of skin contact:**

- Immediately take off all contaminated clothing.
- Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.
- Wash thoroughly the body (shower or bath).
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.

**In case of eyes contact:**

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

**In case of Ingestion:**

- Do NOT induce vomiting.

**In case of Inhalation:**

- Remove casualty to fresh air and keep warm and at rest.

**4.2. Most important symptoms and effects, both acute and delayed**

- In case of contact with eyes: rinse with plenty of running water. Contact a physician if the irritation persists.
- In case of contact with skin: wash with soap and water and rinse with plenty of water.
- In case of inhalation: move the patient to a well-ventilated area and keep at rest.
- In case of ingestion: do not induce vomiting. Rinse mouth thoroughly with water.

**4.3. Indication of any immediate medical attention and special treatment needed**

- In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
- Treatment:  
None

---

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Appropriate Extinguishing Media:**

- Foam
- To carbon dioxide.
- To dust.

**Not Recommended Extinguishing Media:**

- To water.

**5.2. Special hazards arising from the substance or mixture**

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.

**5.3. Advice for firefighters**

- Use suitable breathing apparatus .
- Move undamaged containers from immediate hazard area if it can be done safely.



---

### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections
  - See also section 8 and 13

---

### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
  - See also section 8 for recommended protective equipment.
  - Advice on general occupational hygiene:
    - Contaminated clothing should be changed before entering eating areas.
    - Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
  - Only store in the original container.
  - Store in a dry place.
  - Avoid contact with eyes, skin and clothing. Wear protective clothing and goggles.
  - Keep away from food, drink and feed.
  - Incompatible materials:
    - None in particular.
  - Instructions as regards storage premises:
    - Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

---

### **SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters
  - acetic acid...% - CAS: 64-19-7
    - EU - TWA(8h): 25 mg/m<sup>3</sup>, 10 ppm - STEL: 50 mg/m<sup>3</sup>, 20 ppm
    - ACGIH - TWA(8h): 10 ppm - STEL: 15 ppm - Notes: URT and eye irr, pulm func
  - Octamethylcyclotetrasiloxane - CAS: 556-67-2
    - 20101.04 - TWA: 120 mg/m<sup>3</sup>, 10 ppm
- DNEL Exposure Limit Values
  - N.A.
- PNEC Exposure Limit Values
  - N.A.
- 8.2. Exposure controls
  - Eye protection:
    - Safety goggles.
    - Compliant with EN 166
  - Protection for skin:

## Safety Data Sheet

### MOTORSIL D



Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

We recommend using rubber gloves.

Compliant with EN 374.

Respiratory protection:

In case of insufficient ventilation, use adequate respiratory protection equipment.

Mask with filter "E", yellow colour

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

The normal (mechanical) ventilation of the room should be sufficient for work not extended with the product. For more extensive activities with it (or if necessary to ensure the well-being of the worker), a local mechanical air extractor should be provided.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Paste autolivellante rossa	--	--
Odour:	Characteristic	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	> 120°C approx.	11	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1,12 @20°C	--	--
Solubility in water:	Insoluble	--	--
Solubility in oil:	N.A.	--	--

## Safety Data Sheet MOTORSIL D



Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	225 mm <sup>2</sup> /s @25°C	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

NA=not applicable

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Vulcanizes at room temperature in contact with humid air.

### 10.2. Chemical stability

Stable at room temperature, not in contact with air.

### 10.3. Possibility of hazardous reactions

None

### 10.4. Conditions to avoid

Stable under normal conditions.

### 10.5. Incompatible materials

Strong oxidising agents. Water.

### 10.6. Hazardous decomposition products

Thermal decomposition or combustion can release carbon oxides and other toxic gases and vapours. Amorphous silica.

May produce hazardous substances during use or in contact with water.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the product:

MOTORSIL D

a) acute toxicity

Based on available data, the classification criteria are not met

Test: oecd 10 - Route: Oral 64855.81 mg/kg

b) skin corrosion/irritation

## Safety Data Sheet

### MOTORSIL D



Test: Skin Irritant - Route: Skin Negative - Notes: Risultati ottenuti su prodotto simile. -  
Based on available data, the classification criteria are not met

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

Based on available data, the classification criteria are not met  
e) germ cell mutagenicity

Based on available data, the classification criteria are not met  
f) carcinogenicity

Based on available data, the classification criteria are not met  
g) reproductive toxicity

Based on available data, the classification criteria are not met  
h) STOT-single exposure

Based on available data, the classification criteria are not met  
i) STOT-repeated exposure

Based on available data, the classification criteria are not met  
j) aspiration hazard

Based on available data, the classification criteria are not met  
Toxicological information of the main substances found in the product:

Methylsilanetriyl triacetate - CAS: 4253-34-3

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: CAVIA Negative - Notes: OECD 406

e) germ cell mutagenicity:

Test: oecd Negative

g) reproductive toxicity:

Test: NOAEL - Route: Inhalation - Species: Rat > 1000 mg/kg - Notes: Metodo: OECD 422

acetic acid...% - CAS: 64-19-7

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 40 mg/l

e) germ cell mutagenicity:

Test: oecd - Species: vitro Negative

g) reproductive toxicity:

Test: arx1 - Route: Oral - Species: Rat 1600 mg/kg

Octamethylcyclotetrasiloxane - CAS: 556-67-2

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 36 mg/l - Duration: 4h

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: CAVIA Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: vitro Negative

Test: Carcinogeneticity - Route: Inhalation - Species: Rat Negative - Notes: OECD 453

g) reproductive toxicity:

Test: NOAEL - Route: Inhalation - Species: Rat 3.64 mg/l - Notes: OECD 416

Test: arx1 - Route: Inhalation - Species: Rat > 6.066 mg/l - Notes: OECD 414

Decamethylcyclopentasiloxane - CAS: 541-02-6

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat 8.67 mg/l

d) respiratory or skin sensitisation:

Test: Skin Sensitization Negative

e) germ cell mutagenicity:



- Test: Mutagenesis - Species: vitro Negative
- g) reproductive toxicity:  
Test: NOAEL - Route: Inhalation - Species: Rat 3.64 mg/l - Notes: OECD 416  
Dodecamethylcyclohexasiloxane - CAS: 540-97-6
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Species: CAVIA Negative - Notes: OECD 406
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: vitro Negative - Notes: OECD 476
- g) reproductive toxicity:  
Test: NOAEL - Route: Oral - Species: Rat > 1000 mg/kg - Notes: OECD 422  
Test: arx1 - Species: Rabbit > 1000 mg/kg - Notes: OECD 414
- h) STOT-single exposure:  
Test: oecd 11 Negative
- i) STOT-repeated exposure:  
Negative

---

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Methylsilanetriyl triacetate - CAS: 4253-34-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia > 100 mg/l - Duration h: 48

b) Aquatic chronic toxicity:

Endpoint: EC50 - Species: Algae = 660 mg/l - Duration h: 96

acetic acid...% - CAS: 64-19-7

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 1000 mg/l

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 1000 mg/l

Octamethylcyclotetrasiloxane - CAS: 556-67-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 0.022 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 0.015 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae > 0.022 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.0044 mg/l - Duration h: 2232

Endpoint: NOEC - Species: Daphnia 0.0015 mg/l - Duration h: 504

Decamethylcyclopentasiloxane - CAS: 541-02-6

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 0.014 mg/l - Duration h: 2160

Dodecamethylcyclohexasiloxane - CAS: 540-97-6

a) Aquatic acute toxicity:

Endpoint: NOEC - Species: Daphnia > 0.0046 mg/l - Duration h: 504

Endpoint: NOEC - Species: Algae > 0.002 mg/l - Duration h: 72

Endpoint: EC50 - Species: Algae > 0.002 mg/l - Duration h: 72

### 12.2. Persistence and degradability

None

Methylsilanetriyl triacetate - CAS: 4253-34-3

Biodegradability: 4 - Duration: 21GG - %: 74

acetic acid...% - CAS: 64-19-7

Biodegradability: Readily biodegradable - Duration: 20dd - %: 96

Octamethylcyclotetrasiloxane - CAS: 556-67-2

Biodegradability: Non-readily biodegradable - Duration: 29 d - %: 3.7



## Safety Data Sheet

### MOTORSIL D



Decamethylcyclopentasiloxane - CAS: 541-02-6  
Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 0.14  
Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
Biodegradability: Non-readily biodegradable - Test: OECD TG 310 - Duration: 28gg - %: 4.5

- 12.3. Bioaccumulative potential  
acetic acid...% - CAS: 64-19-7  
Test: BCF - Bioconcentration factor 3.16  
Octamethylcyclotetrasiloxane - CAS: 556-67-2  
Test: BCF - Bioconcentration factor 12400  
Decamethylcyclopentasiloxane - CAS: 541-02-6  
Test: BCF - Bioconcentration factor 7060  
Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
Bioaccumulation: Bioaccumulative - Test: BCF - Bioconcentration factor 2860
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
PBT Substances:  
>= 0.5% - < 1% Octamethylcyclotetrasiloxane - CAS: 556-67-2  
>= 0.5% - < 1% Decamethylcyclopentasiloxane - CAS: 541-02-6  
>= 0.5% - < 1% Dodecamethylcyclohexasiloxane - CAS: 540-97-6  
vPvB Substances:  
>= 0.5% - < 1% Octamethylcyclotetrasiloxane - CAS: 556-67-2  
>= 0.5% - < 1% Decamethylcyclopentasiloxane - CAS: 541-02-6  
>= 0.5% - < 1% Dodecamethylcyclohexasiloxane - CAS: 540-97-6
- 12.6. Other adverse effects  
None

---

### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
ADR-Environmental Pollutant: No  
IMDG-Marine pollutant: No
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
No

---

### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 98/24/EC (Risks related to chemical agents at work)

## Safety Data Sheet

### MOTORSIL D



Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3  
Restriction 40

Restrictions related to the substances contained:

Restriction 70

Volatile Organic compounds - VOCs = 3.40 %  
Volatile Organic compounds - VOCs = 34.00 g/Kg  
Volatile Organic compounds - VOCs = 38.08 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)  
Regulation (EC) nr 648/2004 (detergents).  
Dir. 2004/42/EC (VOC directive)

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

Octamethylcyclotetrasiloxane  
PBT, vPvB  
Decamethylcyclopentasiloxane  
PBT, vPvB  
Dodecamethylcyclohexasiloxane  
PBT, vPvB

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1  
None

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

---

## SECTION 16: Other information

Text of phrases referred to under heading 3:

H361f Suspected of damaging the unborn child.  
H413 May cause long lasting harmful effects to aquatic life.  
H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

## Safety Data Sheet MOTORSIL D



Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Repr. 2	3.7/2	Reproductive toxicity, Category 2
Aquatic Chronic 4	4.1/C4	Chronic (long term) aquatic hazard, category 4

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification  
SECTION 3: Composition/information on ingredients  
SECTION 7: Handling and storage  
SECTION 12: Ecological information  
SECTION 15: Regulatory information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities  
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ATE: Acute Toxicity Estimate  
ATEmix: Acute toxicity Estimate (Mixtures)  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
CLP: Classification, Labeling, Packaging.  
DNEL: Derived No Effect Level.  
EINECS: European Inventory of Existing Commercial Chemical Substances.

## Safety Data Sheet

### MOTORSIL D



GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.